




SCHEDULE of WELL-CHILD VISITS










Health for a Lifetime

To help your baby lead a healthy life, it is important to schedule well-child checkups, immunizations and screenings in the first 15 months, as recommended by their healthcare provider. For your convenience, we designed a form to track and record your baby's well-child exams from birth through the teenage years. These general guidelines can be discussed with your child's pediatrician.



Birth - 18 months | Baby Wellness Exam

To get advice about your baby's development and health, your child should have regular exams and may receive the following screenings and immunizations, depending on the healthcare provider's recommendations.

<input checked="" type="checkbox"/>	VISITS	DATES	DATES
<input type="checkbox"/>	Birth		Hep B _____
<input type="checkbox"/>	3-5 days		
<input type="checkbox"/>	1 month		Hep B (1-2 mo.) _____
<input type="checkbox"/>	2 months		DTaP _____ Hep B (2-4 mo.) _____ Hib _____ PCV _____ RV _____ IPV _____
<input type="checkbox"/>	4 months		DTaP _____ Hib _____ PCV _____ RV _____ IPV _____
<input type="checkbox"/>	6 months		DTaP _____ Hep B (6-18 mo.) _____ PCV _____ IPV (6-18 mo.) _____ Flu _____
<input type="checkbox"/>	12 months		MMR (12-15 mo.) _____ Hep A _____ Varicella (12-15 mo.) _____ Hib (12-15 mo.) _____ PCV (12-15 mo.) _____
			Hemoglobin screening
<input type="checkbox"/>	15 months		DTaP (15-18 months) _____
<input type="checkbox"/>	18 months		Flu _____ Hep A _____

Weight, length and head circumference - at each visit
Vision and hearing exams - if necessary
Evaluate for deficient fluoride - if necessary


















Immunizations



Screenings

2 - 10 years | Child Wellness Exam













You should receive advice about your child's development, health and safety and may receive the following immunizations and screenings, depending on the healthcare provider's recommendations.

<input checked="" type="checkbox"/>	VISITS	DATES	DATES
<input type="checkbox"/>	2 years		Flu _____
<input type="checkbox"/>	30 months		
<input type="checkbox"/>	3 years		Eye Exam
			Flu _____
<input type="checkbox"/>	4 years		DTaP (4-6 years) _____ MMR (4-6 years) _____ IPV (4-6 years) _____ Varicella (4-6 years) _____ Flu _____
			Eye Exam Hearing Exam
<input type="checkbox"/>	5 years		Flu _____
			Eye Exam Hearing Exam
<input type="checkbox"/>	6 years		Flu _____
			Eye Exam Hearing Exam
<input type="checkbox"/>	7 years		Flu _____
<input type="checkbox"/>	8 years		Flu _____
			Eye Exam Hearing Exam
<input type="checkbox"/>	9 years		Flu _____
<input type="checkbox"/>	10 years		Flu _____
			Eye Exam Hearing Exam

BMI assessment - at each visit

11-18 years | Young Adult Wellness Exam

During these visits, your child may receive the following immunizations and screenings, depending on the healthcare provider's recommendations.

<input checked="" type="checkbox"/>	VISITS	DATES	DATES
<input type="checkbox"/>	11 years	 MCV4 (11-12 years) _____ HPV (11-18 years) _____ Tdap (11-12 years) _____ Flu _____	 Hearing Exam (11-14 years)
<input type="checkbox"/>	12 years	 Flu _____	 Eye Exam
<input type="checkbox"/>	13 years	 Flu _____	
<input type="checkbox"/>	14 years	 Flu _____	
<input type="checkbox"/>	15 years	 Flu _____	 Eye Exam Hearing Exam (15-17 years)
<input type="checkbox"/>	16 years	 MCV4 _____ Flu _____	
<input type="checkbox"/>	17 years	 Flu _____	
<input type="checkbox"/>	18 years	 Flu _____	 Hearing Exam (18-21 years)

Height, weight and blood pressure - at each visit
BMI assessment - at each visit

References

DTaP

Diphtheria, tetanus and acellular pertussis

* Administer at age 11-12 for those who completed the recommended childhood series and have not received a tetanus and diphtheria (Td) booster dose since then. For 13-18 year olds who missed the 11-12 year dose, a DTaP should be given within five years of the last childhood DTaP vaccine.

Hib

Haemophilus influenzae b

Hep A

Hepatitis A. Vaccination to be completed according to the licensed schedules and integrated into the routine childhood and adolescent vaccination schedule. Two doses in the series should be administered at least six months apart. Children not vaccinated by age two can be vaccinated at subsequent visits

Hep B

Hepatitis B virus

MMR

Measles-mumps-rubella

PCV

Pneumococcal conjugate

IPV

Poliovirus

Varicella

Chickenpox

RV

Rotavirus

MCV4

Meningococcal, new conjugate vaccine. Administer at age 11 or 12 years, or at age 13 through 18 years if not previously vaccinated. Administer to previously unvaccinated college freshman living in a dormitory.

HPV

Human papillomavirus

Tdap

Tetanus, diphtheria and acellular pertussis

2017 Sources: Advisory Committee on Immunization Practices (subcommittee of the Centers for Disease Control-CDC), U.S. Preventive Services Task Force, American College of Obstetricians and Gynecologists, American Academy of Pediatrics, and other nationally recognized authorities.

No part of this document may be reproduced without permission. The information provided in this document is for general educational purposes only. It is not intended as medical advice and cannot replace or substitute for individualized medical care and advice from a personal physician.

Individuals should always consult with their physicians regarding any health questions or concerns.